

# Modeling Conflicts in Secret Ballot Elections

Aaron Wilson, CIS Sr. Director of Election Security

E-Vote-ID, October 2, 2019



### A Little About Me

- I like
  - Building things
  - Solving problems
  - Security
  - Election technology

- Sr. Director of Election Security, CIS
- Director of Product Innovation, Clear Ballot Group
- Vice President of Product, Greenshades Software
- Project Engineer, Scytl
- **Computer Programmer,** Florida Division of Elections






# MOTIVATION AND<br/>APPROACHDEFINITIONS<br/>DEFINITIONSCONFLICT MODEL<br/>AND DISCUSSION

# That would work, but....

CIS.





How much time do you have for me to explain this?



 Trade-offs are typical, but there is something unique about evoting



Quantity

Number of conflicts



Intensity

Legal constraints, passionate groups

ം

IOTIVATION AND APPROACH



# How this work can be helpful





#### Don't get trapped in the maze

Navigate without retracing steps

Might make something un-fieldable

Keep conflicts in mind when solving problems



**Don't make ill-informed architecture decisions** Select the right approach/technology from the start

Don't overpromise

Set proper expectations

















MOTIVATION AND

- Higher level of abstraction than requirements
- Provide context between business context and requirements
- Enables goal-oriented requirements engineering
- Provide implementation and conflict resolution flexibility



OTIVATION AND

#### • Identification

- Manual over automated technique
- Looked at real and proposed e-voting applications
- Classification
  - Interference negative contribution of one goal on another (strong)
  - Divergence some combination of circumstances makes the goals conflicting (weak)








Secret Ballot Goal


- Voter Anonymity
- **Coercion-Resistance** \_



## **One Person One Vote**



- One Person One Vote Goal
  - Voter Authenticity
  - Ballot Accountability






### **Universal Access**



#### Universal Access Goal

- Voter Usability
- Voter Accessibility
- Provisional Voting








Transparent and Auditable Goal

CIS.

- Cast as Intended Verifiability
- Recorded as Cast Verifiability
- Tallied as Recorded Verifiability



# **Conflict Identification**



CONFLICT MODEL AND DISCUSSION

Goal	Goal	Classification
Voter Authentication	Voter Anonymity	Interference
Voter Authentication	Voter Usability	Interference
Voter Anonymity	Voter Accessibility	Divergence
Coercion Resistance	Voter Usability	Interference
Coercion Resistance	Cast as Intended Verifiability	Divergence
Coercion Resistance	Recorded As Cast Verifiability	Divergence
Provisional Voting	Voter Anonymity	Divergence
Cast as Intended Verifiability	Voter Usability	Interference
Cast as Intended Verifiability	Voter Accessibility	Interference
Recorded as Cast Verifiability	Voter Anonymity	Divergence
Tallied as Recorded Verifiability	Voter Anonymity	Divergence



# CIS. Conflict Model

CONFLICT MODEL AND DISCUSSION

+ Verifiability [Tallied as Recorded] Transparancy and Auditability [Public]	Goal	#
Accountability (Fubic)	Voter Anonymity	5
Divergence Divergence Verifiability [Cast as Interference]   Authentication [Voter] + Coercion-Resistance [Voter] Voter Usability   Voter Voter Usability Voter Accessibility	Coercion Resistance	3
	Cast as Intended Verifiability	3
	Voter Usability	3
	Voter Accessibility	2
	Recorded as Cast Verifiability	2
		1
	Provisional Voting	1
Universal Access [Voter]	15	5



### Voter Authentication Interferes with Voter Anonymity



• Analysis

- Voter anonymity is best accomplished in a system where the identity of the voter is never introduced for any purpose.
- Voter authentication requires the voter identity to be proven
- Examples
  - Two-agency systems
  - Postal voting
  - Digital two-envelope systems
- Classification
  - Interference fundamental conflict, only mitigated through trust in people and processes





• Analysis

- Voting in the most straight forward, usable manner allows a coercer the opportunity to simply observe the act of voting
- In-person voting can be coercion resistance without hurting voter usability, but still must not allow proof to be taken
- Examples
  - JCJ
  - Civitas
- Classification
  - Interference we don't have good mitigations. Multi-voting, real/fake ballots both hurt usability



CONFLICT MODEL

۶.

- Analysis
  - Voter-initiated verification requires extra steps in the voting process
  - Usability is hurt by extra steps, especially non-traditional steps which may confuse the voter
- Examples
  - Prêt à Voter
  - PunchScan
- Classification
  - Interference no current implementation without an extra, undesirable step in the voting process



- Analysis
  - Provisional balloting requires ballots be held separate from counted ballots and stay associated with the voters so it can be identified
- Examples
  - Direct Recording Electronic
  - Blockchain Systems
- Classification
  - Divergence limited to electronic systems, some effective mitigations



- Performed conflict identification, analysis, and development of a conflict model
- The model can be used to evaluate current implementations
- Assist is making critical decisions early in the process
- Future Work
  - More formal conflict analysis and resolution
  - Expand model to more than pair-wise conflicts





### **Aaron Wilson**

## Aaron.Wilson@cisecurity.org



## Why this topic?





To better understand these conflicts myself



Give others a starting point



Evaluations of implementations